

## CAPÍTULO 7: BIBLIOGRAFÍA

- Abhilash, P., Jamil, S. & Singh, N. (2009). Transgenic plants for enhanced biodegradation and phytoremediation of organic xenobiotics. Biotechnology Advances 27, 474-488.
- Achten, W., Verchot, L., Franken Y., Mathijs, E., Singh, V., Aerts, R., & Muys, B. (2008). *Jatropha* bio-diesel production and use. Biomass and Bioenergy 32, 1063-1084.
- Adamu, S., Kela, S. & Suleiman, M. (2006). Antischistosomal properties of extracts of *Jatropha curcas* (L) on *Schistosoma mansoni* infection in mice. Complementary and Alternative Medicines. African Journal Traditional CAM 3, 37-41.
- Adebowale, K. & Adedire, C. (2006). Chemical composition and insecticidal properties of the underutilized *Jatropha curcas* seed oil. African Journal of Biotechnology 10, 901-906.
- Alboudwarej, H., Felix, J., & Tylor, S. (2006). La importancia del petróleo pesado. Oilfield Review 1, 38-59.
- Albuquerque, U., Monteiro, J., Ramos, M. & Amorim, E. (2007). Medicinal and magic plants from a public market in northeastern Brazil. Journal of Ethnopharmacology 110, 76-91.
- Amnesty International Publications, (2009). Nigeria: petroleum, pollution and poverty in the Niger Delta. International Secretariat, Peter Benenson House, 1 Easton Street, London United Kingdom.
- Andersson, K. (2006). European Renewable Energy Review. World Bioenergy. Conference & Exhibition on Biomass for Energy. Touch Briefings.

- Anzules, V. (2008). Comunicación personal. Junio del 2008. Escuela Politécnica del Ejército.
- Backeljau, T., Bruyn, L., De Wolxt, H., Jordaens, K., Van Dongen, S., Winnepenninckx, B. (1996). Multiple UPGMA and Neighbor-joining Trees and the performance of some computer packages. Molecular Biology and Evolution 13, 309-313.
- Bar, H., Bhui, D., Sahoo, G., Sarkar, P., De, S. & Misra, A. (2009). Green synthesis of silver nanoparticles using latex of *Jatropha curcas*. Colloids and Surfaces A: Physicochemical and Engineering Aspects 348, 212-216.
- Barth, S., Melchinger, E. & Lubberstedt, T. (2002). Genetic diversity in *Arabidopsis thaliana* L. Heynh. investigated by cleaved amplified polymorphic sequence (CAPS) and inter-simple sequence repeat (ISSR) markers. Molecular Ecology 11, 495-505.
- Basha, S., Francis, G., Makkar, H., Becker, K. & Sujatha, M. (2009). A comparative study of biochemical traits and molecular markers for assessment of genetic relationships between *Jatropha curcas* L. germplasm from different countries. Plant Science 176, 812-823.
- Basha, D. & Sujatha, M. (2007). Inter and intra-population variability of *Jatropha curcas* L. characterized by RAPD and ISSR markers and development of population-specific SCAR markers. Euphytica 156, 375-386.
- Basha, D. & Sujatha, M. (2009). Genetic analysis of *Jatropha* species and interspecific hybrids of *Jatropha curcas* using nuclear and organelle specific markers. Euphytica 168, 197-214.
- Benedick, R. (1999). Tomorrow's environment is global. Futures 31, 937-947.

- Berg, A., Horsten, S., Bosch, K., Kroes, B., Beukelman, C., Leeftang, B. & Labadie, R. (1995). Curcacycline A- a novel cyclic octapeptide isolated from the latex of *Jatropha curcas* L. Federation of European Biochemical Societies Letters 358, 215-218.
- Biology On line. (2009). Dictionary. Genetic diversity and genetic variability. Extraído el 1 de octubre de 2009 del sitio web: [http://www.biology-online.org/dictionary/Genetic\\_diversity](http://www.biology-online.org/dictionary/Genetic_diversity).
- Bonin, A., Ehrich, D., & Manel, S. (2007). Statistical analysis of amplified fragment length polymorphism data: a toolbox for molecular ecologists and evolutionists. Molecular Ecology 16, 3737-3758.
- Botha, C. & Penrith, M. (2008) Poisonous plants of veterinary and human importance in southern África. Journal of Ethnopharmacology 119, 549-558.
- Buckler, E. & Thornsberry, J. (2002). Plant molecular diversity and applications to genomics. Current Opinion in Plant Biology 5, 107-111.
- Cáceres, A., López, B., González, S., Berger, I., Tada, I. & Maki, J. (1998). Plants used in Guatemala for the treatment of protozoal infections. I. Screening of activity to bacteria, fungi and American trypanosomes of 13 native plants. Journal of Ethnopharmacology 62, 195-202.
- Campbell, N. & Reece, J. (2005). The Evolution of Populations. Biology, Seventh Edition. Pearson Education. Extraído el 28 de septiembre del 2009 del sitio web: [www.myubport.com-a.googlepages.com/i23\\_Genes.pdf](http://www.myubport.com-a.googlepages.com/i23_Genes.pdf).
- Carlsson, A. (2009). Plant oils as feedstock alternatives to petroleum- A short survey of potential oil crop platforms. Biochimie 91, 665-670.

- Carvalho, C., Clarindo, W., Praca, M., Araújo, F. & Carels, N. (2008). Genome size, base composition and karyotype of *Jatropha curcas* L., an important biofuel plant. Plant Science 174, 613-617.
- Castro, P., Coello, J. y Castillo, L. (2007). Opciones para la producción y uso del biodiesel en el Perú. Soluciones Prácticas-ITDG. Clasificación SATIS. Descriptores OCDE. Serie Libros 51, 1-78.
- Chaize, T. (2006). Petróleo, población y pico de producción. Análisis estratégico recursos. Mailing 11, 5-4.
- Cortés, A., McCauley, R. & Ballard, H. (2006). Population genetic structure in temperate and tropical species of *Viola* (Violaceae) with a mixed breeding system. International Journal of Plant Sciences 167, 503-512.
- Culley, T. (1999). Population genetic analysis of ISSR data. Biology Protocols. Extraído el 5 de octubre de 2009 del sitio web: <http://www.biology.uc.edu/faculty/culley/Protocols/Population%20Genetic%20Analysis%20of%20ISSR%20Data.pdf>.
- Culley, T., Sbita, S. & Wick, A. (2007). Population genetic effects of urban habitat fragmentation in the perennial herb *Viola pubescens* (Violaceae) using ISSR markers. Annals of Botany 93, 1-10.
- Das, G. (1995). Plants used in controlling the potato tuber moth, *Phthorimaea operculella* (Zeller). Crop Protection 14, 631-636.
- Debouck, D., Ebert, A., Peralta, E., Barandiarán, M. & Ramírez, M. (2008). La importancia de la utilización de la diversidad genética vegetal en los programas de investigación agrícola en América Latina. Informe especial Recursos Fitogenéticos. Recursos Naturales y Ambiente 53, 46-53.

- Demirbas, A. (2009a). Political, economic and environmental impacts of biofuels: A review. Applied Energy 86, 108-117.
- Demirbas, A. (2009b). Biofuels securing the planet's future energy needs. Energy Conversion and Management 50, 2236-2249.
- Dieffenbach, C. & Dveksler, G. (2003). PCR primer; A laboratory manual. Second Edition. Cold spring Harbor Laboratory Press, pp.1-10.
- Divakara, B., Upadhyaya, H., Wani, S. & Gowda, L. (2009). Biology and genetic improvement of *Jatropha curcas* L.: A review. Applied Energy 87, 732-742.
- Dong, Y., Chen, J., Gituru, R. & Wang, Q. (2007). Gene flow in populations of the endangered aquatic fern *Ceratopteris pteridoides* in China as revealed by ISSR markers. Aquatic Botany 87, 69-74.
- Dorak, T. (2009). Basic Population Genetics. M. Tevfik Dorak's Website. Extraído el 6 octubre de 2009 del sitio web: <http://www.dorak.info/genetics/popgen.html>.
- Dove Biotech Ltd. (2008). Jatropha curcas L. An international botanical answer to biodiesel production & renewable energy. Total renewable, sustainable organic solutions to the global energy, water & environment.
- Duer, H. & Christensen, P.O. (2009). Socio-economic aspects of different biofuel development pathways. Article in press. Biomass and Bioenergy, 1-7.
- Elhadidy, M. & Shaahid, M. (2009). Exploitation of renewable energy resources for environment-friendly sustainable development in Saudi Arabia. International Journal of Sustainable Engineering 2, 56-66.

- Energy Information Administration, (2009). International Petroleum Monthly. World Oil Supply. June 2009.
- Escobar, J., Lora, E., Venturini, O., Yáñez, E., Castillo, E. & Almazan, O. (2008). Biofuels: Environment, technology and food security. Renewable and Sustainable Energy Reviews 13, 1275-1278.
- Fernández, J. (2002). Barreras para el desarrollo del empleo de los biocombustibles sólidos y líquidos. Ponencia en las Jornadas sobre Aportación de la Biomasa al Desarrollo de las Energías Renovables. Madrid: IDAE. 12-13 diciembre 2002.
- Foidl, N., Foidl, G., Sánchez, M., Mittelbach, M. & Hackel, S. (1996). *Jatropha curcas* L. as a source for the production of biofuel in Nicaragua. Bioresource Technology 58, 77-82.
- Fontaine, G. (2003). Petróleo y desarrollo sostenible en Ecuador. Las reglas de juego. Flasco, Sede Ecuador. Petroecuador, Gerencia de Protección Ambiental. pp. 33-37.
- Gardner, E., Simmons, M. & Snustad, P. (2003). Principios de la Genética. Cuarta Edición. Limusa Wiley, México. Capítulo 22. Genética de poblaciones y evolucionista. pp. 566-589.
- Gohil, R. & Pandya, J. (2008). Genetic diversity assessment in physic nut (*Jatropha curcas* L.). International Journal of Plant Production 2, 321-326.
- Golz, J., Clarke, A. & Newbigin, E. (1995). Self-incompatibility in flowering plants. Current Opinion in Genetics & Development 5, 640-645.
- Goonasekera, M., Gunawardana, V., Jayasena, K., Mohammed, S. & Balasubramaniam, S. (1995). Pregnancy terminating effect of *Jatropha curcas* in rats. Journal of Ethnopharmacology 47, 117-123.

- Griffiths, A., Wessler, S., Lewontin, R., Gelbart, W., Suzuki, D. & Miller, J. (2005). Introduction to Genetic Analysis. Eighth Edition. W.H. Freeman and Company. New York. Chapter 19. Population Genetic. pp. 611- 642.
- Gübitz, G., Mittelbach, M. & Trabi, M. (1999). Exploitation of the tropical oil seed plant *Jatropha curcas* L. Bioresource Technology 67, 73-82.
- Gürü, M., Artukoglu, B., Keskin, A. & Koca, A. (2009). Biodiesel production from waste animal fat and improvement of its characteristics by synthesized nickel and magnesium additive. Energy Conversion and Management 50, 498-502.
- Hamelinck, C. & Faaij, A. (2005). Outlook for advanced biofuels. Energy Policy 34, 3268-3283.
- He, W., Guo, L., Wang, L., Yang, W., Tang, L. & Chen, F. (2007). ISSR analysis of genetic diversity of *Jatropha curcas* L. China Journal Application Environmental Biology 13, 466-470.
- Held, P. (2006). Fluorometric Quantitation of Hydrolyzed DNA. Biotek. Application Note. Extraído el 29 de septiembre de 2009 del sitio web: [http://www.biotek.com/resources/docs/FL600\\_Fluorometric\\_Quantitation\\_of\\_Hydrolyzed\\_DNA.pdf](http://www.biotek.com/resources/docs/FL600_Fluorometric_Quantitation_of_Hydrolyzed_DNA.pdf).
- Heller, J. (1996). Physic nut. *Jatropha curcas* L. Promoting the conservation and use of underutilized and neglected crops. International Plant Genetic Resources Institute, Rome, Italy.
- Hernández, E. (2005). Petróleo: ¿La tercera guerra mundial? Agrupamiento de Ingenieros Ecologistas. Fundación Cenattev. Buenos Aires. Argentina.
- Hill, J., Nelson, E., Tilman, D., Polasky, S. & Tiffany, D. (2006). Environmental, economic, and energetic costs and benefits of biodiesel and ethanol biofuels. Sustainability Science 103, 11206-11210.

- Hollingsworth, P & Ennos, R. (2004). Neighbour joining trees, dominant markers and population genetic structure. Heredity 92, 490-498.
- International Energy Agency. (2008). World Energy Outlook 2008. Spanish Translation. Paris: IEA. pp 5.
- Jamil, S., Abhilash, P., Singh, N. & Sharma, P. (2009). *Jatropha curcas*: A potential crop for phytoremediation of coal fly ash. Journal of Hazardous Materials 172, 269-275.
- Jiang, C. & Mo, H. (1998). Statistical recovering of incomplete genotypic information of DNA molecular markers. Science in China 41, 442-448.
- Jiménez. P. & Collada, C. (2000). Técnicas para la evaluación de la diversidad genética y su uso en los programas de conservación. Invest. Agr.: Sist. Recur. 2, 237-248.
- Kaushik, N., Kumar, K., Kumar, S., Kaushik, N.U. & Roy, S. (2007). Genetic variability and divergence studies in seed traits and oil content of *Jatropha* (*Jatropha curcas* L.) accessions. Biomass and Bioenergy 31, 497-502.
- Kemp, W. (1928). Genetic Equilibrium and Selection. Genetics 14, 85-126.
- Khan, A., Jong, W., Jansens, P.J. & Spliethoff, H. (2008). Biomass combustion in fluidized bed boilers: Potential problems and remedies. Fuel Processing Technology 90, 21-50.
- Khanuja, S., Shasany, A., Darokar, M. & Kumar, S. (1999). Rapid Isolation of DNA from dry and fresh samples of plants producing large amounts of secondary metabolites and essential oils. Plant Molecular Biology Reporter 17, 1-7.



- King, A., He, W., Cuevas, J., Freudenberger, M., Ramiaramanana, D. & Graham, I. (2009). Potential of *Jatropha curcas* as a source of renewable oil and animal feed. Journal of Experimental Botany 60, 2897-2905.
- Kjärstad, J. & Johnsson, F. (2008). Resources and future supply of oil. Energy Policy 37, 441-464.
- Kumar, A. & Sharma, S. (2008). An evaluation of multipurpose oil seed crop for industrial uses (*Jatropha curcas* L.): A review. Industrial Crops and Products 28, 1-10.
- Kumar, G., Yadav, S., Thawale, P., Singh, S., & Juwarkar, A. (2007). Growth of *Jatropha curcas* on heavy metal contaminated soil amended with industrial wastes and *Azotobacter*- A greenhouse study. Bioresource Technology 99, 2078-2082.
- Kumar, L. (1999). DNA markers in plant improvement: An overview. Biotechnology Advances 17, 143-182.
- Kumar, S., Parthiban, T. & Rao, G. (2008). Molecular characterization of *Jatropha* genetic resources through inter-simple sequence repeat (ISSR) markers. Mol Biol Rep 36, 1951-1956.
- Legendre, P. & Legendre, L. (2000). Numerical Ecology. Developments in Environments Modelling 20. Second English Edition. Elsevier. pp. 251-561, 319-321.
- Lentz, D., Clark, A., Hufford, C., Meurer-Grimes, B., Passreiter, C., Cordero, J., Ibrahim, O. & Okunade, A. (1998). Antimicrobial properties of Honduran medicinal plants. Journal of Ethnopharmacology 63, 253-263.
- Leonti, M., Sticher, O. & Heinrich, M. (2003). Antiquity of medicinal plant usage in two Macro-Mayan ethnic groups (México). Journal of Ethnopharmacology 88, 119-124.

- Lewin, B. (2004). Genes VII. Pearson Prentice Hall. Pearson Education. Inc. pp. 12-13, 19-20.
- Li, E., Yi, S., Qiu, Y., Guo, J., Comes, H. & Fu, C. (2008). Phylogeography of two East Asian species in *Croomia* (Stemonaceae) inferred from chloroplast DNA and ISSR fingerprinting variation. Molecular Phylogenetics and Evolution 49 702 - 714.
- Lienert, J. (2002). Habitat fragmentation effects on fitness of plant population – a review. Journal of Nature Conservation 12, 53-72.
- Lin, J., Yan, F., Tang, L. & Chen, F. (2003). Antitumor effects of curcin from seeds of *Jatropha curcas*. Acta Pharmacologica Sinica 24, 241-246.
- Liu, H., Kirchoff, B., Wu, G. & Liao, J. (2007). Microsporogenesis and male gametogenesis in *Jatropha curcas* L. (Euphorbiaceae). Journal of the Torrey Botanical Society 134, 335-343.
- Lodish, H., Berk, A., Matsudaira, P., Kaiser, C., Krieger, M., Scott, M., Zipursky, S. & Darnell, J. (2004). Biología Celular y Molecular. Quinta Edición. Editorial Médica Paramericana. pp. 371, G-17.
- Lora, E.S. & Andrade, R.V. (2009). Biomass as energy source in Brazil. Renewable and Sustainable Energy Reviews 13, 777-788.
- Luzuriaga, A. y Olano, J. (2006). Con los pies en el suelo: incluyendo la estructura especial de los datos en los análisis multivariantes. Ecosistemas 15, 59-67.
- Maes, W., Trabucco, A., Achten, W. & Muys, B. (2009a). Climatic growing conditions of *Jatropha curcas* L. Biomass and Bienergy 33, 1481-1485.

- Maes, W., Achten, W., Reubens, B., Raes, D., Samson, R. & Muys, B. (2009b). Plant-water relationships and growth strategies of *Jatropha curcas* L. seedlings under different levels of drought stress. Journal of Arid Environments 73, 877-884.
- Mahanta, N., Gupta, A. & Khare, S. (2008). Production of protease and lipase by solvent tolerant *Pseudomonas aeruginosa* PseA in solid-state fermentation using *Jatropha curcas* seed cake as substrate. Bioresource Technology 99, 1729-1735.
- Mancera, N. (2007). Evolución y pérdida de variabilidad genética. Vida Silvestre. Universidad Nacional de Colombia. Departamento de Ciencias Forestales.
- Mariette, S., Chagne, D., & Lezier, C. (2001). Genetic diversity within and among *Pinus pinaster* populations : comparison between AFLP and microsatellite markers. Heredity 86, 469-479.
- Marone, L., Milesi, F., González, R., Mezquida, E., Casenave, J. y Cueto, V. (2002). La teoría de evolución por selección natural como premisa de la investigación ecológica. Interciencia 27, 137-142.
- Martínez, J. Siddhuraju, P., Francis, G., Dávila, G. & Becker, K. (2006). Chemical composition, toxic/antimetabolic constituents, and effects of different treatment on their levels, in four provenances of *Jatropha curcas* L. from México. Food Chemistry 96, 80-89.
- Mata, T., Martins, A. & Caetano, N. (2009). Microalgae for biodiesel production and other applications: A review. Renewable and Sustainable Energy Reviews 14, 217-332.
- Michiels, A., Van den Ende, W., Tucker, M., Van Riet, L. & Van Laere, A. (2003). Extraction of High-quality genomic DNA from latex-containing plants. Analytical Biochemistry 315, 85-89.

- Mishra, D. (2009). Selection of candidate plus phenotypes of *Jatropha curcas* L. using method of paired comparisons. Biomass and Bioenergy 33, 542-545.
- Mitton, J. (2005). Hardy–Weinberg Equation. *Encyclopedia of Evolution*. Ed. Mark Pagel. Oxford University Press, Inc. Encyclopedia of Evolution: (e-reference edition). Laurentian University. Extraído el 28 de Septiembre 2009 del sitio web: <http://www.oxfordevolution.com/entry?entry=t169.e187>.
- Mujumdar, A. & Misar, A. (2004). Anti-inflammatory activity of *Jatropha curcas* roots in mice and rats. Journal of Ethnopharmacology 90, 11-15.
- Muñoz, M. y Jiménez, E. (2008). Caracterización morfométrica de cuatro ecotipos de piñón (*Jatropha curcas*), asociado con teca (*Tectona grandis*). Tesis de grado. Facultad de Ingeniería Mecánica y Ciencias de la Producción. Escuela Politécnica del Litoral. Ecuador.
- Nagaoka, T. & Ogihara, Y. (1997). Applicability of inter-simple sequence repeat polymorphisms in wheat for use as DNA markers in comparison to RFLP and RAPD markers. Theor Appl Genet 94, 597-602.
- Namasivayam, C., Sangeetha, D. & Gunasekaran, R. (2007). Removal of anions, heavy metals, organics and dyes from water by adsorption onto a new activated carbon from *Jatropha* husk, an agro-industrial solid waste. Process Safety and Environmental Protection 85, 181-184.
- Nambisan, P. (2007). Biotechnological intervention in jatropha for biodiesel production. Current Science 93, 1347-1348.
- Narayanan, C., Dubey, S., Wali, S., Shukla, N., Kumar, R., Mandal, A. & Ansari, S. A. (2006). Optimization of DNA extraction for ISSR studies in *Tectona grandis* L.f. – an important tree species. African Journal of Biotechnology 13, 1220-1223.

- National Biodiesel Board. What is biodiesel? Extraído el 20 de agosto, 2009, del sitio web: <http://www.biodiesel.org/resources/definitions/default.shtm>.
- Nordborg, M. & Innan, H. (2002). Molecular population genetics. Current Opinion in Plant Biology 5, 69-73.
- Nuttall, W. & Manz, D. (2008). A new energy security paradigm for the twenty-first century. Technological Forecasting & Social Change 75, 1247-1259.
- Ochoa, V., Proaño, K. y Jiménez, P. (2008). Genética poblacional de dos especies de plantas leñosas del páramo ecuatoriano con miras a un proceso de rehabilitación. Tesis de pregrado. Laboratorio de Biotecnología Vegetal. Escuela Politécnica del Ejército.
- Octagon, S.A. Biocombustibles, (2006). *Jatropha curcas* su expansión agrícola para la producción de aceites vegetales con fines de comercialización energética. Guatemala, Centro América.
- Old, R. & Primrose, S. (1993). Principles of gene manipulation. A introduction to genetic engineering. Blackwell Scientific Publications. pp. 5-7.
- Openshaw, K. (2000). A review of *Jatropha curcas*: an oil plant of unfulfilled promise. Biomass and Bioenergy 19, 1-15.
- Opperdoes, F. (1997). Construction of a distance tree using clustering with the Unweighted Pair Group Method with Arithmetic Mean (UPGMA). Extraído el 6 de octubre de 2009 del sitio web: <http://www.icp.ucl.ac.be/~opperd/private/upgma.html>.
- Osoniyi, O. & Onajobi, F. (2003). Coagulant and anticoagulant activities in *Jatropha curcas* latex. Journal of Ethnopharmacology 89, 101-105.

- Pamidimarri, S., Sinha, R., Kothari, P. & Reddy, M. (2009). Isolation of novel microsatellites from *Jatropha curcas* L. and their cross-species amplification. Molecular Ecology Resources 9, 431-433.
- Pamidimarri, S., Singh, S., Mastan, S., Patel, J. & Reddy, M. (2009). Molecular characterization and identification of markers for toxic and non-toxic varieties of *Jatropha curcas* L. using RAPD, AFLP and SSR markers. Mol Biol Rep 36, 1357-1364.
- Peakall, R. & Smouse, P. (2006). GENALEX 6: genetic analysis in Excel. Population genetic software for teaching and research. Molecular Ecology Notes 6, 288-295.
- Perlack, R., Wright, L., Turhollow, A., Graham, R., Stokes, B., & Erbach D. (2005). Biomass as feedstock for a bioenergy and bioproducts industry: The technical feasibility of a billion-ton annual supply. Oak Ridge National Laboratory. Tennessee. U.S. Department of Energy. ORNL/TM-2005/66.
- Perry, B. (1943). Chromosome number and phylogenetic relationships in the Euphorbiaceae. American Journal of Botany 30, 527-543.
- Petroleum Research Atlantic Canada (2003). Socio-economic benefits from petroleum industry activity in Newfoundland and Labrador. Community Resources Services. pp. 9-12.
- Popluechai, S., Breviario, D., Mulpuri, S., Makkar, H., Raorane, M., Reddy, A., Palchetti, E., Gatehouse, A., Syers, K., O'Donnell, A. & Kohli, A. (2009). Narrow genetic and apparent phenetic diversity in *Jatropha curcas*: initial success with generating low phorbol ester interspecific hybrids. Nature Preceding 13, 1-44.
- Population Reference Bureau (2008). 2008 World Population. Data Sheet. pp. 1-8.

- Pritchard, M., Mkandawire, T., Edmondson, A., O'Neill, J. & Kululanga, G. (2009). Potential of using plant extracts for purification of shallow well water in Malawi. Physics and Chemistry of the Earth 34, 799-805.
- Qin, W., Ming-Xing, H., Ying, X., Xin-Shen Z. & Fang, C. (2005). Expression of a ribosome inactivating protein (curcin2) in *Jatropha curcas* is induced by stress. Journal Bioscience 30, 351-357.
- Qubit Fluorometer, (2008). Instruction Manual. Molecular Probes. Invitrogen detection Technologies. Invitrogen.
- Rakshit, K., Darukeshwara, J., Raj, K., Narasimhamurthy, K., Saibaba, P. & Bhagya, S. (2008). Toxicity studies of detoxified *Jatropha* meal (*Jatropha curcas*) in rats. Food and Chemical Toxicology 46, 3621-3625.
- Ram, G., Parthiban, T., Kumar, S., Thiruvengadam, V. & Paramathma, M. (2008). Genetic diversity among *Jatropha* species as revealed by RAPD markers. Genetic Resources Crop Evolution 55, 803-809.
- Ranade, S., Srivastava, A., Rana, T., Srivastava, J. & Tuli, R. (2008). Easy assessment of diversity in *Jatropha curcas* L. plants using two single-primer amplification reaction (SPAR) methods. Biomass and Bioenergy 32, 533-540.
- Reynolds, C. & Houle, G. (2002). Mantel and partial Mantel tests suggest some factors that may control the local distribution of *Aster laurentianus* at Iles de la Madeleine, Québec. Plant Ecology 164, 19-27.
- Rohlf, F. (1998). NTSYSpc. Numerical Taxonomy and Multivariate Analysis System. Version 2.0. User Guide. pp.12-28.

Sánchez, G. (2003). La información celular. Mutaciones. Extraído el 28 de septiembre del 2009 del sitio web:

<http://web.educastur.princast.es/proyectos/biogeov/2BCH/PDFs/22Mutaciones>

Satovic, Z., Roman, B., Alfaro, C., Rubiales, D., Cubero, J. & Pujadas, A. (2004). Overcoming limitations of dominant marker data: population structure of the parasitic plant *Cistanche phelypaea* inferred from RAPD markers. Genetic diversity of parasitic plants. Córdoba, España.

Sarin, R., Sharma, M., Sinharay, S. & Malhotra R. (2006). Jatropha- Palm biodiesel blends: An optimum mix for Asia. Fuel 86, 1365-1371

Schlamadinger, B. & Marland, G. (1995). The role of forest and bioenergy strategies in the global carbon cycle. Biomass and Bioenergy 10, 275-300.

Schuldt, J. y Acosta, A. (2006). Petróleo, rentismo y subdesarrollo: ¿una maldición sin solución? Nueva Sociedad 204. pp. 72-89.

Sharma, D., Pandey, A. & Lata. (2009). Use of *Jatropha curcas* hull biomass for bioactive compost production. Biomass and Bioenergy 33, 159-162.

Siddiqi, T. (2007). Viable and Environment-friendly sources for meeting South Asia's growing energy needs. East- West Center. Asia Pacific Issues 38, 1-8.

Slatkin, M. (2004). A population-genetic test of founder effects and implications for Ashkenazi Jewish diseases. American Journal Human Genetics 75, 282-293.

Slatkin, M. (1994). Gene flow and population structure. Ecological Genetics, Editado por L. Real. Princeton. Extraído del 29 de septiembre de 2009 del sitio web: <http://evolucion.fcien.edu.uy/Lecturas/Slatkin1994.pdf>.



- Somma, M. (2002). Análisis de la presencia de organismos genéticamente modificados en muestras de alimentos. Extracción y purificación de ADN. European Commission. Joint Research Centre.
- Somasundaram, S. & Kalaiselvam, M. (2007). Molecular tools for assessing genetic diversity. Centre of Advanced Study in Marine Biology, Annamalai University. pp. 83-91.
- Srinivasan, S. (2009). The food v. fuel debate: A nuanced view of incentive structures. Renewable Energy 34, 950-954.
- Sujatha, M., Reddy, T. & Mahasi, M. (2008). Role of biotechnological interventions in the improvement of castor (*Ricinus communis* L. ) and *Jatropha curcas* L. Biotechnology Advances 26, 424-435.
- Sun, Q., Li, L., Li, Y., Wu, G. & Ge, X. (2008). SSR and AFLP Markers reveal low genetic diversity in the biofuel plant *Jatropha curcas* in China. Crop Science Society of America 48, 1865-1871.
- Sunil, N., Varaprasad, K., Sivaraj, N., Kumar, T., Abraham, B. & Prasad, R. (2008). Assessing *Jatropha curcas* L. germplasm in-situ –A case study. Biomass and Bioenergy 32, 198-202.
- Tatikonda, L., Wani, S., Kannan, S., Beerelli, N., Sreedevi, T., Hoisington, D., Devi, P. & Varshney, R. (2009). AFLP- based molecular characterization of an elite germplasm collection of *Jatropha curcas* L., a biofuel plant. Plant Science 176, 505-513.
- Tchung-Ming, S & Vinot, S. (2009). Transport energies: advantages and disadvantages. Innovation Energy Environment. Panorama 2009.
- Ticktin, T. & Dalle, S. (2005). Medicinal plant in the practice of midwifery in rural Honduras. Journal of Ethnopharmacology 96, 233-248.

- Tomita, R., Park, S. & Sotomayor, O. (2002). Analysis of activated sludge process using multivariate statistical tools- a PCA approach. Chemical Engineering Journal 90, 283-290.
- United Nations, Department of Economic and Social Affairs, Population Division (2009). World Population Prospects: The 2008 Revision, Highlights, Working Paper No. ESA/P/WP.210.
- Venkatachalam, L., Sreedhar, R. & Bhagyalakshmi, N. (2008). The use of genetic markers for detecting DNA polymorphism, genotype identification and phylogenetic relationships among banana cultivars. Molecular Phylogenetics and Evolution 47, 974-985.
- Vergara, R., Minno, M., Minno, M., Soltis, D. & Soltis, P. (2008). Preliminary study using ISSRs to differentiate *Imperata* Taxa (Poaceae: Andropogoneae) growing in the US. Southeastern Naturalist 7, 267-276.
- World Wide Fund for Nature, (2008). Global Market Study on *Jatropha*. Final Report. London/ Berlin, 8 de Mayo del 2008. Extraído el 2 de septiembre del 2008 del sitio web: <http://www.jatropha-platform.org/downloads.htm>
- Yadav, S., Juwarkar, A., Kumar, G., Thawale, P., Singh, S. & Chakrabarti, T. (2009). Bioaccumulation and phyto-translocation of arsenic, chromium and zinc by *Jatropha curcas* L.: Impact of dairy sludge and biofertilizer. Bioresource Technology 100, 4616-4622.
- Zah, R. & Ruddy, T. (2009). International trade in biofuels: an introduction to the special issue. Journal of Cleaner Production 17, 1-3.
- Zambrano, P. (2008, 22 de Agosto). Tecnología. El piñón manabita genera expectativa como biocombustible. El Diario. Portoviejo, 22-08-2008.

Zhang, Y., Dubé, M., McLean, D. & Kates, M. (2003). Biodiesel production from waste cooking oil: 1. Process design and technological assessment. Bioresource Technology 89, 1-16.